General Administrative Settings

DISPLAYFUSION

BINARYFORTRESS

Administrative Settings

DisplayFusion ADMX Templates (v4.1+) are available for controlling the settings below via Group Policy in Active Directory environments. **Click here to download the latest version of the ADMX templates.**

Note that while v4.1 was the first to support Active Directory Group Policy, we add new policy settings with each new version of DisplayFusion. For full compatibility with the latest DisplayFusion ADMX templates, please make sure your client machines are running the latest version of DisplayFusion.

The following registry values can be created manually, deployed via registry script, or using the **DisplayFusion ADMX Templates** (v4.1+), in order to force the settings on the client. The registry location(s) where they can be created are indicated for each one, using the following legend.

- **HKLM**: HKEY_LOCAL_MACHINE\Software\Binary Fortress Software\DisplayFusion\
- **HKCU-Policy**: HKEY_CURRENT_USER\Software\Policies\Binary Fortress Software\DisplayFusion\
- **HKLM-Policy**: HKEY_LOCAL_MACHINE\Software\Policies\Binary Fortress Software\DisplayFusion\

License Key: License Key

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: LicenseKey

Type: REG_SZ

Values: A valid license key

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

General Policies: Disable the Check for Updates Now button

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-CheckForUpdates

Type: REG_SZ

Values:
0: The "Check for Updates Now" button will be enabled
1: The "Check for Updates Now" button will be disabled

Versions: 4.1+

General Policies: Disable Crash Reporting and Telemetry

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: DisableCrashReportingAndTelemetry

Type: REG_SZ

Values:
0: DisplayFusion will send anonymous crash reports
1: DisplayFusion will not send anonymous crash reports

Versions: 9.6.0+

General Policies: Disable Automatic Settings Backups

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: DisableBackupAuto

Type: REG_SZ

Values:
0: DisplayFusion will automatically backup the settings each time it updates to a new version
1: DisplayFusion will not automatically backup the settings each time it updates to a new version

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

General Policies: Disable the Export Settings button

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-BackupSettings

Type: REG_SZ

Values:
0: The "Backup Settings" button will be enabled
1: The "Backup Settings" button will be disabled

Versions: 6.0.0+

General Policies: Disable the Import Settings button

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-RestoreSettings

Type: REG_SZ

Values:
0: The "Import Settings" button will be enabled
1: The "Import Settings" button will be disabled

Versions: 6.0.0+

General Policies: Disable Advanced Settings button

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Advanced

Type: REG_SZ

Values:
0: The "Advanced Settings" button will be enabled
1: The "Advanced Settings" button will be disabled

Versions: 5.0.1+

General Policies: Remove Audio Devices from context (tray and taskbar) menu

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-AudioDevices

Type: REG_SZ

Values:
0: The "Audio Devices" item will not be removed from the context menu
1: The "Audio Devices" item will be removed from the context menu

Versions: 9.2.2+

General Policies: Remove Social Buttons from Settings Window

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-SocialButtons

Type: REG_SZ

Values:
0: The social buttons (Facebook, Twitter, etc) will show up in the Settings window
1: The social buttons (Facebook, Twitter, etc) will not show up in the Settings window

Versions: 9.3+

General Policies: Remove Exit from context (tray and taskbar) menu

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-MenuExit

Type: REG_SZ

Values:
0: The "Exit" item will not be removed from the context menu
1: The "Exit" item will be removed from the context menu

Versions: 6.1+

General Policies: Remove Task Manager from context (tray and taskbar) menu

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-MenuTaskManager

Type: REG_SZ

Values:
0: The "Task Manager" item will not be removed from the context menu
1: The "Task Manager" item will be removed from the context menu

Versions: 6.1+

General Policies: Disable Desktop Icon Profiles feature

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-DesktopIconProfiles

Type: REG_SZ

Values:
0: The Desktop Icon Profiles feature will not be disabled
1: The Desktop Icon Profiles feature will be disabled

Versions: 4.0.0+

Desktop Wallpaper: Allow DisplayFusion to Manage the Desktop Wallpaper

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperEnabled

Type: REG_SZ

Values:
0: The Desktop Wallpaper feature will be disabled
1: The Desktop Wallpaper feature will be enabled

Versions: 8.0.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Autofix wallpaper images when Wallpaper feature is enabled

Location: HKCU-Policy, HKLM-Policy

Key: WallpaperAutoFixImages

Type: REG_SZ

Values:
0: Wallpaper autofix will be disabled
1: Wallpaper autofix will be enabled

Versions: 8.1.0+

General Policies: Disable the DisplayFusion Desktop Wallpaper window

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-Wallpaper

Type: REG_SZ

Values:
0: The Desktop Wallpaper window will be accessible
1: The Desktop Wallpaper window will not be accessible

Versions: 8.1.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Disable All Online Image Providers (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockOnlineManual

Type: REG_SZ

Values:
0: All online image providers will be available when using "Randomly Load from Online Provider" mode
1: No online image providers will be available when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable All Online Image Providers (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockOnlineRandom

Type: REG_SZ

Values:
0: All online image providers will be available when using "Randomly Load from Online Provider" mode
1: No online image providers will be available when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Flickr (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockFlickrManual

Type: REG_SZ

Values:
0: The Flickr Online Image Provider will be enabled when using "Single Image" mode
1: The Flickr Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Flickr (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockFlickrRandom

Type: REG_SZ

Values:
0: The Flickr Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Flickr Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Vladstudio (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockVladstudioManual

Type: REG_SZ

Values:
0: The Vladstudio Online Image Provider will be enabled when using "Single Image" mode
1: The Vladstudio Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Vladstudio (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockVladstudioRandom

Type: REG_SZ

Values:
0: The Vladstudio Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Vladstudio Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Bing Image Search (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockBingImageSearchManual

Type: REG_SZ

Values:
0: The Bing Image Search Online Image Provider will be enabled when using "Single Image" mode
1: The Bing Image Search Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Bing Image Search (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockBingImageSearchRandom

Type: REG_SZ

Values:
0: The Bing Image Search Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Bing Image Search Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: deviantART API (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockdeviantARTAPIManual

Type: REG_SZ

Values:
0: The deviantART API Online Image Provider will be enabled when using "Single Image" mode
1: The deviantART API Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: deviantART API (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockdeviantARTAPIRandom

Type: REG_SZ

Values:
0: The deviantART API Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The deviantART API Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: deviantART RSS (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockdeviantARTRSSManual

Type: REG_SZ

Values: 0: The deviantART RSS Online Image Provider will be enabled when using "Single Image" mode
1: The deviantART RSS Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: deviantART RSS (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockdeviantARTRSSRandom

Type: REG_SZ

Values: 0: The deviantART RSS Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The deviantART RSS Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Digital Blasphemy (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockDigitalBlasphemyManual

Type: REG_SZ

Values: 0: The Digital Blasphemy Online Image Provider will be enabled when using "Single Image" mode
1: The Digital Blasphemy Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.3.2+

Desktop Wallpaper: Disable Online Image Provider: Digital Blasphemy (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockDigitalBlasphemyRandom

Type: REG_SZ

Values: 0: The Digital Blasphemy Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Digital Blasphemy Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.3.2+

Desktop Wallpaper: Disable Online Image Provider: Dropbox (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockDropboxManual

Type: REG_SZ

Values: 0: The Dropbox Online Image Provider will be enabled when using "Single Image" mode
1: The Dropbox Online Image Provider will be disabled when using "Single Image" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Dropbox (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockDropboxRandom

Type: REG_SZ

Values: 0: The Dropbox Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Dropbox Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: MyVideos (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockMyVideosManual

Type: REG_SZ

Values:
0: The MyVideos Online Image Provider will be enabled when using "Single Image" mode
1: The MyVideos Online Image Provider will be disabled when using "Single Image" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: MyVideos (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockMyVideosRandom

Type: REG_SZ

Values:
0: The MyVideos Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The MyVideos Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Reddit (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockRedditManual

Type: REG_SZ

Values:
0: The Reddit Online Image Provider will be enabled when using "Single Image" mode
1: The Reddit Online Image Provider will be disabled when using "Single Image" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Reddit (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockRedditRandom

Type: REG_SZ

Values:
0: The Reddit Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Reddit Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Google Earth View (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGoogleEarthViewManual

Type: REG_SZ

Values:
0: The Google Earth View Online Image Provider will be enabled when using "Single Image" mode
1: The Google Earth View Online Image Provider will be disabled when using "Single Image" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Google Earth View (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGoogleEarthViewRandom

Type: REG_SZ

Values:
0: The Google Earth View Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Google Earth View Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Wallhaven (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWallhavenManual

Type: REG_SZ

Values:
0: The Wallhaven Online Image Provider will be enabled when using "Single Image" mode
1: The Wallhaven Online Image Provider will be disabled when using "Single Image" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Wallhaven (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWallhavenRandom

Type: REG_SZ

Values:
0: The Wallhaven Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Wallhaven Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Google Photos (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGooglePhotosManual

Type: REG_SZ

Values:
0: The Google Photos Online Image Provider will be enabled when using "Single Image" mode
1: The Google Photos Online Image Provider will be disabled when using "Single Image" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Google Photos (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGooglePhotosRandom

Type: REG_SZ

Values:
0: The Google Photos Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Google Photos Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Bing Desktop (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockBingDesktopManual

Type: REG_SZ

Values:
0: The Bing Desktop Online Image Provider will be enabled when using "Single Image" mode
1: The Bing Desktop Online Image Provider will be disabled when using "Single Image" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Bing Desktop (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockBingDesktopRandom

Type: REG_SZ

Values:
0: The Bing Desktop Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Bing Desktop Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 9.0.0+

Desktop Wallpaper: Disable Online Image Provider: Pinterest (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockPinterestManual

Type: REG_SZ

Values:
0: The Pinterest Online Image Provider will be enabled when using "Single Image" mode
1: The Pinterest Online Image Provider will be disabled when using "Single Image" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Pinterest (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockPinterestRandom

Type: REG_SZ

Values:
0: The Pinterest Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Pinterest Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Tumblr (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockTumblrManual

Type: REG_SZ

Values:
0: The Tumblr Online Image Provider will be enabled when using "Single Image" mode
1: The Tumblr Online Image Provider will be disabled when using "Single Image" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Tumblr (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockTumblrRandom

Type: REG_SZ

Values:
0: The Tumblr Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Tumblr Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Unsplash (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockUnsplashManual

Type: REG_SZ

Values:
0: The Unsplash Online Image Provider will be enabled when using "Single Image" mode
1: The Unsplash Online Image Provider will be disabled when using "Single Image" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Unsplash (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockUnsplashRandom

Type: REG_SZ

Values:
0: The Unsplash Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Unsplash Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Website (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWebsiteManual

Type: REG_SZ

Values:
0: The Website Online Image Provider will be enabled when using "Single Image" mode
1: The Website Online Image Provider will be disabled when using "Single Image" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Website (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWebsiteRandom

Type: REG_SZ

Values:
0: The Website Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Website Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 8.0.0+

Desktop Wallpaper: Disable Online Image Provider: Load From URL (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockLoadFromURLManual

Type: REG_SZ

Values:
0: The Load From URL Online Image Provider will be enabled when using "Single Image" mode
1: The Load From URL Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.3.2+

Desktop Wallpaper: Disable Online Image Provider: Load From URL (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockLoadFromURLRandom

Type: REG_SZ

Values:
0: The Load From URL Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Load From URL Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.3.2+

Desktop Wallpaper: Disable Online Image Provider: Wallpaper Abyss (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWallpaperAbyssManual

Type: REG_SZ

Values:
0: The Wallpaper Abyss Online Image Provider will be enabled when using "Single Image" mode
1: The Wallpaper Abyss Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.3.2+

Desktop Wallpaper: Disable Online Image Provider: Wallpaper Abyss (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWallpaperAbyssRandom

Type: REG_SZ

Values:
0: The Wallpaper Abyss Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Wallpaper Abyss Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.3.2+

Desktop Wallpaper: Disable Online Image Provider: Google Image Search (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGoogleImageSearchManual

Type: REG_SZ

Values:
0: The Google Image Search Online Image Provider will be enabled when using "Single Image" mode
1: The Google Image Search Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Google Image Search (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGoogleImageSearchRandom

Type: REG_SZ

Values:
0: The Google Image Search Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Google Image Search Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: 500px (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlock500pxManual

Type: REG_SZ

Values:
0: The 500px Online Image Provider will be enabled when using "Single Image" mode
1: The 500px Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: 500px (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlock500pxRandom

Type: REG_SZ

Values:
0: The 500px Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The 500px Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: WallpaperFusion (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWallpaperFusionManual

Type: REG_SZ

Values:
0: The WallpaperFusion Online Image Provider will be enabled when using "Single Image" mode
1: The WallpaperFusion Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: WallpaperFusion (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockWallpaperFusionRandom

Type: REG_SZ

Values:
0: The WallpaperFusion Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The WallpaperFusion Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Zenfolio (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockZenfolioManual

Type: REG_SZ

Values:
0: The Zenfolio Online Image Provider will be enabled when using "Single Image" mode
1: The Zenfolio Online Image Provider will be disabled when using "Single Image" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Zenfolio (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockZenfolioRandom

Type: REG_SZ

Values:
0: The Zenfolio Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Zenfolio Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 4.0.1+

Desktop Wallpaper: Disable Online Image Provider: Facebook (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockFacebookManual

Type: REG_SZ

Values:
0: The Facebook Online Image Provider will be enabled when using "Single Image" mode
1: The Facebook Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Facebook (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockFacebookRandom

Type: REG_SZ

Values: 0: The Facebook Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Facebook Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Google+ (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGooglePlusManual

Type: REG_SZ

Values: 0: The Google+ Online Image Provider will be enabled when using "Single Image" mode
1: The Google+ Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Google+ (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockGooglePlusRandom

Type: REG_SZ

Values: 0: The Google+ Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Google+ Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Astronomy Picture of the Day (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockAPODManual

Type: REG_SZ

Values: 0: The Astronomy Picture of the Day Online Image Provider will be enabled when using "Single Image" mode
1: The Astronomy Picture of the Day Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Astronomy Picture of the Day (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockAPODRandom

Type: REG_SZ

Values: 0: The Astronomy Picture of the Day Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Astronomy Picture of the Day Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Imgur (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockImgurManual

Type: REG_SZ

Values: 0: The Imgur Online Image Provider will be enabled when using "Single Image" mode
1: The Imgur Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Imgur (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockImgurRandom

Type: REG_SZ

Values:
0: The Imgur Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Imgur Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Instagram (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockInstagramManual

Type: REG_SZ

Values:
0: The Instagram Online Image Provider will be enabled when using "Single Image" mode
1: The Instagram Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Instagram (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockInstagramRandom

Type: REG_SZ

Values:
0: The Instagram Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Instagram Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Pixabay (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockPixabayManual

Type: REG_SZ

Values:
0: The Pixabay Online Image Provider will be enabled when using "Single Image" mode
1: The Pixabay Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Pixabay (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockPixabayRandom

Type: REG_SZ

Values:
0: The Pixabay Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Pixabay Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Smugmug (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockSmugmugManual

Type: REG_SZ

Values:
0: The Smugmug Online Image Provider will be enabled when using "Single Image" mode
1: The Smugmug Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Smugmug (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockSmugmugRandom

Type: REG_SZ

Values:
0: The Smugmug Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Smugmug Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Current Weather (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockSpecialWeatherManual

Type: REG_SZ

Values:
0: The Current Weather Online Image Provider will be enabled when using "Single Image" mode
1: The Current Weather Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Current Weather (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockSpecialWeatherRandom

Type: REG_SZ

Values:
0: The Current Weather Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Current Weather Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Time of Day (Single Image)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockSpecialTimeOfDayManual

Type: REG_SZ

Values:
0: The Time of Day Online Image Provider will be enabled when using "Single Image" mode
1: The Time of Day Online Image Provider will be disabled when using "Single Image" mode

Versions: 7.0+

Desktop Wallpaper: Disable Online Image Provider: Time of Day (Random)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperBlockSpecialTimeOfDayRandom

Type: REG_SZ

Values:
0: The Time of Day Online Image Provider will be enabled when using "Randomly Load from Online Provider" mode
1: The Time of Day Online Image Provider will be disabled when using "Randomly Load from Online Provider" mode

Versions: 7.0+

Desktop Wallpaper: Restrict images to specific paths

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperLocalImagePathRestrict

Type: REG_SZ

Values:
0: The "Restrict images to specific paths" option will be disabled
1: The "Restrict images to specific paths" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Remove unused temporary image files automatically

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: CleanImageFolders

Type: REG_SZ

Values: 0: The "Remove unused temporary image files automatically" option will be disabled
1: The "Remove unused temporary image files automatically" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Pause wallpaper changes while a full screen application is running

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: PauseWhenFullScreen

Type: REG_SZ

Values: 0: The "Pause wallpaper changes while a full screen application is running" option will be disabled
1: The "Pause wallpaper changes while a full screen application is running" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Pause wallpaper changes while in a remote desktop session

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: IgnoreRDPChanges

Type: REG_SZ

Values: 0: The "Pause wallpaper changes while in a remote desktop session" option will be disabled
1: The "Pause wallpaper changes while in a remote desktop session" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Pause wallpaper changes while computer is running on battery power

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperPauseBattery

Type: REG_SZ

Values:
0: The "Pause wallpaper changes while computer is running on battery power" option will be disabled
1: The "Pause wallpaper changes while computer is running on battery power" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Rotate wallpaper images automatically using JPEG EXIF information

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperAutoRotate

Type: REG_SZ

Values:
0: The "Rotate wallpaper images automatically using JPEG EXIF information" option will be disabled
1: The "Rotate wallpaper images automatically using JPEG EXIF information" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Random wallpaper changer ignores hidden files and folders

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperIgnoreHiddenFiles

Type: REG_SZ

Values:
0: The "Random wallpaper changer ignores hidden files and folders" option will be disabled
1: The "Random wallpaper changer ignores hidden files and folders" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Use transitions when changing wallpaper

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperUseTransitions

Type: REG_SZ

Values: 0: The "Use transitions when changing wallpaper" option will be disabled
1: The "Use transitions when changing wallpaper" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Warn me if my wallpaper needs adjusting

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: CheckWallpaper

Type: REG_SZ

Values: 0: The "Warn me if my wallpaper needs adjusting" option will be disabled
1: The "Warn me if my wallpaper needs adjusting" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Desktop Wallpaper: Mute all audio for the My Videos Wallpaper Source

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WallpaperMuteVideo

Type: REG_SZ

Values: 0: The "Mute all audio for the My Videos Wallpaper Source" option will be disabled
1: The "Mute all audio for the My Videos Wallpaper Source" option will be enabled

Versions: 9.0+

This setting requires a restart of DisplayFusion to take effect.

General Policies: Disable the Internet Connection Settings button

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-InternetConnectionSettings

Type: REG_SZ

Values:
0: The "Internet Connection Settings" button will be enabled
1: The "Internet Connection Settings" button will be disabled

Versions: 4.1+

This setting requires a restart of DisplayFusion to take effect.

General Policies: Disable Monitor Configuration window

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-MonitorConfig

Type: REG_SZ

Values:
0: The Monitor Configuration window will not be disabled
1: The Monitor Configuration window will be disabled

Versions: 4.0.0+

General Policies: Disable Monitor Profiles

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-MonitorProfiles

Type: REG_SZ

Values:
0: The user will be able to save, load, and manage Monitor Profiles
1: The user will not be able to save, load, and manage Monitor Profiles

Versions: 5.1+

General Policies: Disable Settings window

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings

Type: REG_SZ

Values:
0: The Settings window will not be disabled
1: The Settings window will be disabled

Versions: 4.0.0+

General Policies: Disable Functions tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Functions

Type: REG_SZ

Values:
0: The Functions tab will not be disabled
1: The Functions tab will be disabled

Versions: 4.0.0+

General Policies: Disable TitleBar Buttons Context Menu

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-TitleBarDisableContextMenu

Type: REG_SZ

Values:
0: The TitleBar Button Context Menu will not be disabled
1: The TitleBar Button Context Menu will be disabled

Versions: 8.0.0+

General Policies: Disable Functions > Add Scripted Function Button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-FunctionAddScripted

Type: REG_SZ

Values:
0: The Add Scripted button on the Functions tab will not be disabled
1: The Add Scripted button on the Functions tab will be disabled

Versions: 8.0.0+

General Policies: Disable Functions > Export Scripted Function Button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-FunctionExportScripted

Type: REG_SZ

Values:
0: The Export Scripted Function button on the Functions tab will not be disabled
1: The Export Scripted Function button on the Functions tab will be disabled

Versions: 10.0.0+

General Policies: Disable Functions > Import Scripted Function Button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-FunctionImportScripted

Type: REG_SZ

Values:
0: The Import Scripted Function button on the Functions tab will not be disabled
1: The Import Scripted Function button on the Functions tab will be disabled

Versions: 10.0.0+

General Policies: Disable Functions > Download Scripted Function

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-FunctionDownload

Type: REG_SZ

Values: 0: The Download Scripted Function button on the Functions tab will not be disabled
1: The Download Scripted Function button on the Functions tab will be disabled

Versions: 8.0.0+

General Policies: Disable Functions > Add Custom Function Button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-FunctionAddCustom

Type: REG_SZ

Values: 0: The Add Custom Function button on the Functions tab will not be disabled
1: The Add Custom Function button on the Functions tab will be disabled

Versions: 8.0.0+

General Policies: Disable Functions > Export Custom Function Button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-FunctionExportCustom

Type: REG_SZ

Values: 0: The Export Custom Function button on the Functions tab will not be disabled
1: The Export Custom Function button on the Functions tab will be disabled

Versions: 10.0.0+

General Policies: Disable Functions > Import Custom Function Button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-FunctionImportCustom

Type: REG_SZ

Values:
0: The Import Custom Function button on the Functions tab will not be disabled
1: The Import Custom Function button on the Functions tab will be disabled

Versions: 10.0.0+

General Policies: Disable Taskbar tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Taskbar

Type: REG_SZ

Values:
0: The Taskbar tab will not be disabled
1: The Taskbar tab will be disabled

Versions: 4.0.0+

General Policies: Disable Start Menu Replacements list on the Taskbar tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-StartMenuReplacements

Type: REG_SZ

Values:
0: The Start Menu Replacements list on the Taskbar tab will not be disabled
1: The Start Menu Replacements list on the Taskbar tab will be disabled

Versions: 8.0.0+

General Policies: Disable Windows Lock Screen tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-WindowsLockScreen

Type: REG_SZ

Values:
0: The Windows Lock Screen tab will not be disabled
1: The Windows Lock Screen tab will be disabled

Versions: 9.0.0+

General Policies: Disable Windows 8 tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Win8

Type: REG_SZ

Values:
0: The Windows 8 tab will not be disabled
1: The Windows 8 tab will be disabled

Versions: 8.1.2+

General Policies: Disable Windows 10 tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Win10

Type: REG_SZ

Values:
0: The Windows 10 tab will not be disabled
1: The Windows 10 tab will be disabled

Versions: 9.0.0+

General Policies: Disable Windows 11 tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Win11

Type: REG_SZ

Values:
0: The Windows 11 tab will not be disabled
1: The Windows 11 tab will be disabled

Versions: 9.9.0+

General Policies: Disable Monitor Fading tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Monitor Fading

Type: REG_SZ

Values:
0: The Monitor Fading tab will not be disabled
1: The Monitor Fading tab will be disabled

Versions: 9.0.0+

General Policies: Disable Screen Saver tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-ScreenSavers

Type: REG_SZ

Values:
0: The Screen Saver tab will not be disabled
1: The Screen Saver tab will be disabled

Versions: 4.0.0+

General Policies: Disable Window Snapping tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-WindowSnapping

Type: REG_SZ

Values: 0: The Window Snapping tab will not be disabled
1: The Window Snapping tab will be disabled

Versions: 4.0.0+

General Policies: Disable Window Management tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-WindowManagement

Type: REG_SZ

Values: 0: The Window Management tab will not be disabled
1: The Window Management tab will be disabled

Versions: 4.0.0+

General Policies: Disable Alt+Tab tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-AltTab

Type: REG_SZ

Values: 0: The Alt+Tab tab will not be disabled
1: The Alt+Tab tab will be disabled

Versions: 8.0.0+

General Policies: Disable Mouse Management tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-MouseManagement

Type: REG_SZ

Values:
0: The Mouse Management tab will not be disabled
1: The Mouse Management tab will be disabled

Versions: 8.0.0+

General Policies: Disable Window Location tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-WindowLocation

Type: REG_SZ

Values:
0: The Window Location tab will not be disabled
1: The Window Location tab will be disabled

Versions: 4.0.0+

General Policies: Disable Compatibility tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Compatibility

Type: REG_SZ

Values:
0: The Compatibility tab will not be disabled
1: The Compatibility tab will be disabled

Versions: 4.0.0+

General Policies: Disable License Key tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-LicenseKey

Type: REG_SZ

Values:
0: The License Key tab will not be disabled
1: The License Key tab will be disabled

Versions: 4.0.0+

General Policies: Disable the Our Apps tab

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: DisableOurAppsTab

Type: REG_SZ

Values:
0: The "Our Apps" tab will be enabled
1: The "Our Apps" tab will be disabled

Versions: 7.0+

General Policies: Disable the Remote Control tab

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-RemoteControl

Type: REG_SZ

Values:
0: The "Remote Control" tab will be enabled
1: The "Remote Control" tab will be disabled

Versions: 7.0+

Remote Control: Enable DisplayFusion Remote Control

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: RemoteControlEnabled

Type: REG_SZ

Values:
0: The "Enable DisplayFusion Remote Control" setting will be disabled
1: The "Enable DisplayFusion Remote Control" setting will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Remote Control: Allow security code request popups

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: RemoteControlAllowCodePopup

Type: REG_SZ

Values:
0: The "Allow security code request popups" setting will be disabled
1: The "Allow security code request popups" setting will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

General Policies: Disable Troubleshooting tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Troubleshooting

Type: REG_SZ

Values:
0: The Troubleshooting tab will not be disabled
1: The Troubleshooting tab will be disabled

Versions: 4.0.0+

General Policies: Disable Windows 8 tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Windows8

Type: REG_SZ

Values:
0: The Windows 8 tab will not be disabled
1: The Windows 8 tab will be disabled

Versions: 4.0.0+

General Policies: Disable Languages tab

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-Languages

Type: REG_SZ

Values:
0: The Languages tab will not be disabled
1: The Languages tab will be disabled

Versions: 4.0.0+

General Policies: Disable Help button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-HelpButton

Type: REG_SZ

Values:
0: The Help button will not be disabled
1: The Help button will be disabled

Versions: 5.1+

General Policies: Disable Support Request button

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-SupportRequest

Type: REG_SZ

Values:
0: The Support Request button will not be disabled
1: The Support Request button will be disabled

Versions: 4.0.0+

General Policies: Disable access to the "Show in Windows desktop context menu" option

Location: HKCU-Policy, HKLM-Policy

Key: BlockUI-Settings-ContextMenuItems

Type: REG_SZ

Values:
0: The "Show in Windows desktop context menu" option will not be disabled
1: The "Show in Windows desktop context menu" option will be disabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect. Note: This setting does not disable the "Show in Windows desktop context menu" option itself, it only disables access to that option in the Settings window. For corporate environments, it's recommended to disable this option during deployment using the **appropriate switch/property with the installer**.

General Policies: Hide system tray icon

Location: HKCU-Policy, HKLM-Policy

Key: HideTrayIcon

Type: REG_SZ

Values:
0: The system tray icon will not be hidden
1: The system tray icon will be hidden

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

General Policies: Ignore First Run

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: IgnoreFirstRun

Type: REG_SZ

Values:
0: DisplayFusion will show the Welcome Wizard and reset the settings to the defaults the first time it starts
1: DisplayFusion will not show the Welcome Wizard and will not reset the settings to the defaults the first time it starts

Versions: 4.0.0+

This setting must be enabled before DisplayFusion runs for the first time.

Options: Start with Windows

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: StartWithWindows

Type: REG_SZ

Values:
0: The "Start with Windows" option will be disabled
1: The "Start with Windows" option will be enabled

Versions: 4.0.0+

Note: Changes to this policy will only take effect on the client once DisplayFusion has been restarted. If DisplayFusion is currently not set to startup, and you enable this setting, it will need to be manually launched on the client the first time. Also note that this setting only affects the `HKCU\Software\Microsoft\Windows\CurrentVersion\Run` value. If you've deployed it with the option to run for all users, this policy will not remove that setting from the clients.

Options: Disable Binary Fortress Account Login

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: BlockUI-BFLogin

Type: REG_SZ

Values:
0: The Binary Fortress Account Login will be enabled
1: The Binary Fortress Account login will be disabled

Versions: 6.1+

This setting requires a restart of DisplayFusion to take effect.

Options: Check for updates automatically

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AutoUpdate

Type: REG_SZ

Values:
0: The "Check for updates automatically" option will be disabled
1: The "Check for updates automatically" option will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Options: Check for new Beta versions

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AutoUpdateBeta

Type: REG_SZ

Values:
0: The "Check for new Beta versions" option will be disabled
1: The "Check for new Beta versions" option will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect. Note: To enable this setting, you must also enable the "Check for updates automatically" setting.

Options: Aero Colour Settings (Windows 7 and higher)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AeroColourMode

Type: REG_SZ

Values:
0: The "Aero Colour Settings" option will be disabled
1: The "Aero Colour Settings" option will be set to change with the wallpaper
2: The "Aero Colour Settings" option will be set to change with the current application

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Options: Theme

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: ThemeMode

Type: REG_SZ

Values:
0: The "Theme" option will be set to "Light"
1: The "Theme" option will be set to "Dark"

Versions: 10.0+

This setting requires a restart of DisplayFusion to take effect.

Functions: Enable Key Combinations

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: EnableHotKeys

Type: REG_SZ

Values:
0: Key combinations will be disabled for all DisplayFusion features
1: Key combinations will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Functions: Enable TitleBar Buttons

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TitleBarButtonsEnabled

Type: REG_SZ

Values: 0: The TitleBar Buttons feature will be disabled
1: The TitleBar Buttons feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Functions: Condense TitleBar Buttons to take up less space

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TitleBarButtonsCondensed

Type: REG_SZ

Values: 0: The TitleBar Buttons will be wider than in a default install
1: The TitleBar Buttons will be narrow (same as default install)

Versions: 9.9.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Enable Multi-Monitor Taskbars

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsEnabled

Type: REG_SZ

Values: 0: The Multi-Monitor Taskbar feature will be disabled
1: The Multi-Monitor Taskbar feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Use Jump Lists

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsUseJumpLists

Type: REG_SZ

Values:
0: The "Use Jump Lists" Taskbar option will be disabled
1: The "Use Jump Lists" Taskbar option will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Disable transparency on all taskbars (Win 7 Only)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsDisableAeroTransparency

Type: REG_SZ

Values:
0: The "Disable transparency on all taskbars" option will be disabled
1: The "Disable transparency on all taskbars" option will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Focus window when mouse is dragged over Taskbar button

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarFocusWindowOnDragOver

Type: REG_SZ

Values:
0: The "Focus window when mouse is dragged over Taskbar button" option will be disabled
1: The "Focus window when mouse is dragged over Taskbar button" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Allow taskbar reloading while full screen applications are running

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsAllowReloadingWhenFullScreen

Type: REG_SZ

Values:
0: The "Allow taskbar reloading while full screen applications are running" option will be disabled
1: The "Allow taskbar reloading while full screen applications are running" option will be enabled

Versions: 9.9.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Show taskbar in front of full screen applications when they lose focus

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsShowOverFullScreen

Type: REG_SZ

Values:
0: The "Show taskbar in front of full screen applications when they lose focus" option will be disabled
1: The "Show taskbar in front of full screen applications when they lose focus" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Launch Start menu shortcuts on current monitor

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarStartMenuOpenOnMonitor

Type: REG_SZ

Values:
0: The "Launch Start Menu shortcuts on current monitor" option will be disabled
1: The "Launch Start menu shortcuts on current monitor" option will be enabled

Versions: 7.0+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Window Preview Style

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsPreview

Type: REG_SZ

Values:
0: The "Window Preview Style" option will be set to "Previews disabled, show tooltip on hover"
1: The "Window Preview Style" option will be set to "Windows default"
2: The "Window Preview Style" option will be set to "Windows Vista"
3: The "Window Preview Style" option will be set to "Previews disabled, show group list on hover"

Versions: 7.3.2+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Taskbar Mode

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsMode

Type: REG_SZ

Values:
0: The "Taskbar Mode" option will be set to "All Taskbars show relevant"
1: The "Taskbar Mode" option will be set to "Windows Taskbar shows all, DisplayFusion shows relevant"
2: The "Taskbar Mode" option will be set to "All Taskbars show all windows"
3: The "Taskbar Mode" option will be set to "Windows Taskbar shows none, DisplayFusion shows all"

Versions: 7.3.2+

This setting requires a restart of DisplayFusion to take effect.

Taskbar: Taskbar Button Middle-Click Behaviour

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: TaskbarsMiddleClick

Type: REG_SZ

Values:
0: The "Taskbar Button Middle-Click Behaviour" option will be set to "Do nothing"
1: The "Taskbar Button Middle-Click Behaviour" option will be set to "Open new instance"
2: The "Taskbar Button Middle-Click Behaviour" option will be set to "Close application"
3: The "Taskbar Button Middle-Click Behaviour" option will be set to "Move to next monitor"
4: The "Taskbar Button Middle-Click Behaviour" option will be set to "Move to previous monitor"

Versions: 7.3.2+

This setting requires a restart of DisplayFusion to take effect.

Monitor Fading: Enable Monitor Fading

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MonitorFadingEnabled

Type: REG_SZ

Values:
0: The Monitor Fading feature will be disabled
1: The Monitor Fading feature will be enabled

Versions: 9.2.2+

This setting requires a restart of DisplayFusion to take effect.

Monitor Fading: Exclude full screen windows from being faded

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MonitorFadingExcludeFullScreenWindow

Type: REG_SZ

Values:
0: The "Exclude full screen windows from being faded" option will be disabled
1: The "Exclude full screen windows from being faded" option will be enabled

Versions: 9.9.0+

This setting requires a restart of DisplayFusion to take effect.

Monitor Fading: Monitor Fading Mode

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MonitorFadingMode

Type: REG_SZ

Values:
1: The "Monitor Fading Mode" option will be set to "Fade All Monitors"
2: The "Monitor Fading Mode" option will be set to "Fade Non-Primary Monitors"
3: The "Monitor Fading Mode" option will be set to "Fade Non-Current Monitors"
4: The "Monitor Fading Mode" option will be set to "Fade Everything Except Current Window"

Versions: 9.2.2+

This setting requires a restart of DisplayFusion to take effect.

Screen Saver: Allow DisplayFusion to manage the Screen Saver

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: ScreenSaversEnabled

Type: REG_SZ

Values:
0: The Screen Saver feature will be disabled
1: The Screen Saver feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Snapping: Enable Window Edge Snapping to edges of Monitors

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowSnappingMonitors

Type: REG_SZ

Values:
0: The "Enable Window Edge Snapping to edges of Monitors" Window Snapping option will be disabled
1: The "Enable Window Edge Snapping to edges of Monitors" Window Snapping option will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Snapping: Enable Window Edge Snapping to edges of other Application Windows

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowSnappingOtherApplications

Type: REG_SZ

Values:
0: The "Enable Window Edge Snapping to edges of other Applications" Window Snapping option will be disabled
1: The "Enable Window Edge Snapping to edges of other Applications" Window Snapping option will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Snapping: Use Sticky Snapping

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowSnappingStickyMode

Type: REG_SZ

Values:
0: The "Use Sticky Snapping" Window Snapping option will be disabled
1: The "Use Sticky Snapping" Window Snapping option will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Snapping: Window Snapping Mode

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowSnappingMode

Type: REG_SZ

Values:
0: The "Window Snapping Mode" option will be set to "Always snap windows"
1: The "Window Snapping Mode" option will be set to "Only snap when modifier key is held"
2: The "Window Snapping Mode" option will be set to "Always snap except when modifier key is held"

Versions: 10.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Snapping: Window Snapping Modifier

Key: WindowSnappingModifier

Type: REG_SZ

Values:
0: The "Snapping Modifier" option will be set to "Shift"
1: The "Snapping Modifier" option will be set to "Alt"
2: The "Snapping Modifier" option will be set to "Control"

Versions: 10.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Snapping: Window Snap Distance

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowSnapping

Type: REG_SZ

Values: A non-negative value in pixels (30 or lower is recommended)

Versions: 10.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Enable maximized window dragging between monitors

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MaximizedWindowDragging

Type: REG_SZ

Values:
0: The Maximized Window Dragging feature will be disabled
1: The Maximized Window Dragging feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Show monitor selector while dragging

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MaximizedWindowDraggingOverlay

Type: REG_SZ

Values: 0: The Maximized Window Dragging Monitor ID Overlay feature will be disabled
1: The Maximized Window Dragging feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect. Note: To enable this setting you'll also need to enable the Maximized Window Dragging feature.

Window Management: Enable middle-click window moving

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowMoveMiddleClick

Type: REG_SZ

Values: 0: The Middle-Click Window Moving feature will be disabled
1: The Middle-Click Window Moving feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Allow the mouse wheel to scroll windows that aren't focused

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MouseWheelScrolling

Type: REG_SZ

Values: 0: The inactive window mouse wheel scrolling feature will be disabled
1: The inactive window mouse wheel scrolling feature will be enabled

Versions: 5.1.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Move newly opened application windows to the current monitor

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowMoveNewProcessWindowsToCurrentMonitor

Type: REG_SZ

Values:
0: The "Move newly opened application windows" option will be disabled
1: The "Move newly opened application windows" option will be enabled

Versions: 8.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Only move windows opened from the Start Menu

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowMoveNewProcessWindowsToCurrentMonitorOnlyFromStartMenu

Type: REG_SZ

Values:
0: The "Move newly opened applications" option (above) will affect all windows
1: The "Move newly opened applications" option (above) will affect only windows opened from the Star menu

Versions: 8.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Show a ToolTip when moving or re-sizing a window to display location and size

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowMoveSizeToolTips

Type: REG_SZ

Values: 0: The "Show a ToolTip when moving or re-sizing a window to display location and size" option will be enabled
1: The "Show a ToolTip when moving or re-sizing a window to display location and size" option will be disabled

Versions: 8.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Allow DisplayFusion to help minimize all windows when Win + M is pressed

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowManagement_WinMHelper

Type: REG_SZ

Values: 0: The "Allow DisplayFusion to help minimize all windows when Win + M is pressed" option will be enabled
1: The "Allow DisplayFusion to help minimize all windows when Win + M is pressed" option will be disabled

Versions: 8.0.0+

This setting requires a restart of DisplayFusion to take effect.

Mouse Management: Wrap mouse cursor around left/right monitor edges

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MouseWrapX

Type: REG_SZ

Values:
0: The left/right monitor edge mouse wrapping feature will be disabled
1: The left/right monitor edge mouse wrapping feature will be enabled

Versions: 5.1.0+

This setting requires a restart of DisplayFusion to take effect.

Mouse Management: Wrap mouse cursor around top/bottom monitor edges

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MouseWrapY

Type: REG_SZ

Values:
0: The top/bottom monitor edge mouse wrapping feature will be disabled
1: The top/bottom monitor edge mouse wrapping feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

Mouse Management: Only wrap mouse cursor when more than one monitor is connected

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MouseWrapMultipleMonitorsOnly

Type: REG_SZ

Values:
0: DisplayFusion will always wrap the mouse cursor
1: DisplayFusion will only wrap the mouse cursor if more than one monitor is connected

Versions: 9.8.0+

This setting requires a restart of DisplayFusion to take effect.

Mouse Management: Prevent mouse cursor from snagging on unaligned left/right monitor edges

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MouseWrapNoSnag

Type: REG_SZ

Values:
0: The mouse cursor snagging prevention (horizontal) feature will be disabled
1: The mouse cursor snagging prevention (horizontal) feature will be enabled

Versions: 5.1.0+

This setting requires a restart of DisplayFusion to take effect.

Mouse Management: Prevent mouse cursor from snagging on unaligned top/bottom monitor edges

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MouseWrapNoSnagY

Type: REG_SZ

Values:
0: The mouse cursor snagging prevention (vertical) feature will be disabled
1: The mouse cursor snagging prevention (vertical) feature will be enabled

Versions: 9.9.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Move child windows to the same monitor as the parent window

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MoveChildWindows

Type: REG_SZ

Values:
0: DisplayFusion will not attempt to move child windows to the same monitor as the parent window
1: DisplayFusion will attempt to move child windows to the same monitor as the parent window

Versions: 6.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Only move modal child windows (requires "Move child windows" option to be enabled)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MoveChildWindowsModalOnly

Type: REG_SZ

Values:
0: DisplayFusion will move all child windows
1: DisplayFusion will only move modal child windows (windows that block input to the parent)

Versions: 6.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Management: Centre the child window over the parent (requires "Move child windows" option to be enabled)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: MoveChildWindowsCentre

Type: REG_SZ

Values:
0: DisplayFusion will not try to centre the child window over the parent
1: DisplayFusion will try to centre the child window over the parent

Versions: 6.0.0+

This setting requires a restart of DisplayFusion to take effect.

Alt+Tab: Alt+Tab Handler Mode

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AltTabEnabled

Type: REG_SZ

Values:
0: The DisplayFusion Alt+Tab Handler will be disabled
1: The DisplayFusion Alt+Tab Handler will be enabled (Show on Primary Monitor, Show All Windows)
2: The DisplayFusion Alt+Tab Handler will be enabled (Show on All Monitors, Show All Windows)
3: The DisplayFusion Alt+Tab Handler will be enabled (Show on Current Monitor, Show All Windows)
4: The DisplayFusion Alt+Tab Handler will be enabled (Show on Current Monitor, Show Current Windows)

Versions: 6.0.0+

This setting requires a restart of DisplayFusion to take effect.

Alt+Tab: Alt+Tab Handler: Show Item Text (requires DisplayFusion Alt+Tab Handler to be enabled)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AltTabShowItemText

Type: REG_SZ

Values:
0: The DisplayFusion Alt+Tab Handler will not show window titles below the previews
1: The DisplayFusion Alt+Tab Handler will show window titles below the previews

Versions: 6.0.0+

This setting requires a restart of DisplayFusion to take effect.

Alt+Tab: Alt+Tab Handler: Show Desktop Window (requires DisplayFusion Alt+Tab Handler to be enabled)

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AltTabShowDesktopWindow

Type: REG_SZ

Values: 0: The DisplayFusion Alt+Tab Handler will not show window the Desktop window entry
1: The DisplayFusion Alt+Tab Handler will show the Desktop window entry

Versions: 6.0.0+

This setting requires a restart of DisplayFusion to take effect.

Alt+Tab: Thumbnail Width

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AltTabThumbnailSizeWidthPX

Type: REG_SZ

Values: A non-negative value in pixels

Versions: 10.0.0+

This setting requires a restart of DisplayFusion to take effect.

Alt+Tab: Thumbnail Height

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: AltTabThumbnailSizeHeightPX

Type: REG_SZ

Values: A non-negative value in pixels

Versions: 10.0.0+

This setting requires a restart of DisplayFusion to take effect.

Window Location: Enable Window Location

Location: HKLM, HKCU-Policy, HKLM-Policy

Key: WindowLocationEnabled

Type: REG_SZ

Values: 0: The Window Location feature will be disabled
1: The Window Location feature will be enabled

Versions: 4.0.0+

This setting requires a restart of DisplayFusion to take effect.

About DisplayFusion

DisplayFusion gives users power and precision over their multi-monitor setup, with automation and customization options to create the perfect displays, every time.

To learn more about DisplayFusion, visit: **https://www.displayfusion.com**

About Binary Fortress Software

Binary Fortress has spent 17 years in pursuit of one goal: create software to make life easier. Our software ranges from display management and system enhancement utilities to monitoring tools and digital signage. IT administrators, professional gamers, coffee-shop owners, and MSPs all rely on Binary Fortress to make their days better, and their lives easier.

Copyright © 2007-2024 Binary Fortress Software, all rights reserved.
The Binary Fortress logo is a trademark of Binary Fortress Software.
The DisplayFusion logo is a trademark of Binary Fortress Software.

Binary Fortress Software
1000 Innovation Drive, Suite 500
Kanata, Ontario, Canada
K2K3E7
https://www.binaryfortress.com